





INNOCENTI TUA
ELECTRIC LOGISTICS VEHICLE



INNOCENTI E-TUA 2 SEATS



The new jewel of Innocenti was born from a continuous reinterpretation of an unique and original style.

For this reason, its appearance in the Italian automotive represents a superb expression of exclusivity.

E-TUA (homologation L7) expresses purity, style, technology and rationality by combining an unique stylish and spacious interior with a petite exterior.

All combined to achieve maximum levels of active and passive safety.



2+2 Seat



4 Seat

E-TUA

TECHNICAL SPECIFICATIONS

Model	Standard Edition	Deluxe Edition	Police Edition
Body			
Length (mm)	2100	2100	2100
Width (mm)	1210	1210	1210
Height (mm)	1565	1565	1565
Wheelbase(mm)	1450	1450	1450
Front wheel track (mm)	990	990	990
Rear wheel track (mm)	990	990	990
Minimum ground clearance (mm)	140	140	140
Curbside weight (kg)	580	580	580
Number of Seats	2	2	2

Motor	Standard Edition	Deluxe Edition	Police Edition
Driver Type	DC brushless motor	DC brushless motor	DC brushless motor
Rated Power (KW)	2,8	2,8	2,8
Rated voltage (V)	60	60	60
Battery Type	Maintenance-free lead-acid battery	Maintenance-free lead-acid battery	Maintenance-free lead-acid battery
Battery Specifications	12V 120Ah	12V 120Ah	12V 120Ah
Number of Battery	5	5	5
Charger Type	Onboard recharger	Onboard recharger	Onboard recharger
Charging voltage (V)	220	220	220



TECHNICAL SPECIFICATIONS

Transmission

Gear shift	Automatic	Automatic	Automatic
Transmission Type	Automatic speed controller	Automatic speed controller	Automatic speed controller
Speed Differential Case	Yes	Yes	Yes

Chassis Suspension System

Driving Model	Rear axle drive	Rear axle drive	Rear axle drive
Front suspension Type	McPherson independent suspension	McPherson independent suspension	McPherson independent suspension
Rear Suspension Type	Integral shock damping suspension	Integral shock damping suspension	Integral shock damping suspension
Body Structure	Integral frame structure	Integral frame structure	Integral frame structure

Wheel brake

Front brake	Disc-type hydraulic brake	Disc-type hydraulic brake	Disc-type hydraulic brake
Rear brake	Disc-type hydraulic brake	Disc-type hydraulic brake	Disc-type hydraulic brake
Parking brake	Hand brake	Hand brake	Hand brake
Front wheel	145/70R12	145/70R12	145/70R12
Rear wheel	145/70R12	145/70R12	145/70R12
Wheel Rim	Aluminum alloy wheels	Aluminum alloy wheels	Aluminum alloy wheels

Range (km, 40km/h constant speed)

120

150

150





www.innocenti-italy.com

Info@innocenti-italy.com
