



TROUSSE





TROUSSE

The new jewel of Innocenti was born from a continuous reinterpretation of an unique and original style.

For this reason, its appearance in the Italian automotive represents a superb exspression of exclusivity.

TROUSSE (homologation L6) expresses purity, style, technology and rationality by combining an unique stylish and spacious interior with a 41' petite exterior.

All combined to achieve maximum levels of active and passive safety.



TROUSSE

2 Seats





TROUSSE
Interior Design

TROUSSE CARGO



TECHNICAL SPECIFICATIONS

Model	Standard Edition	Deluxe Edition	Police Edition
Body			
Length (mm)	2100	2100	2100
Width (mm)	1210	1210	1210
Height (mm)	1565	1565	1565
Wheelbase(mm)	1450	1450	1450
Frontw heelt rack (mm)	990	990	990
Rearw heelt rack (mm)	990	990	990
Minimumg roundc learance (mm)	140	140	140
Curbw eight (kg)	580	580	580
Number of Seats	2	2	2
Motor			
Driver Type	DC brushless motor	DC brushless motor	DC brushless motor
Rated Power (KW)	6	6	6
Rated voltage (V)	60	60	60
Battery Type	Lithium iron phosphate (LFP)	Lithium iron phosphate (LFP)	Lithium iron phosphate (LFP)
Battery Specifications	12V 120Ah	12V 120Ah	12V 120Ah
Number of Battery	5	5	5
Charger Type	Onboard recharger	Onboard recharger	Onboard recharger
Charging voltage (V)	220	220	220



TECHNICAL SPECIFICATIONS

Transmission

Gear shift

Automatic

Transmission Type

Automatic speed controller

Automatic

Automatic speed controller

Automatic

Automatic speed controller

Speed Differential Case

Yes

Yes

Yes

Chassis Suspension System

Driving Model

Rear axle drive

Rear axle drive

Rear axle drive

Front suspension Type

McPherson independent suspension

McPherson independent suspension

McPherson independent suspension

Rear Suspension Type

Integral shock damping suspension

Integral shock damping suspension

Integral shock damping suspension

Body Structure

Integral frame structure

Integral frame structure

Integral frame structure

Wheel brake

Front brake

Disc-type hydraulic brake

Disc-type hydraulic brake

Disc-type hydraulic brake

Rear brake

Disc-type hydraulic brake

Disc-type hydraulic brake

Disc-type hydraulic brake

Parking brake

Hand brake

Hand brake

Hand brake

Front wheel

145/70R12

145/70R12

145/70R12

Rear wheel

145/70R12

145/70R12

145/70R12

Wheel Rim

Aluminum alloy wheels

Aluminum alloy wheels

Aluminum alloy wheels

Range (km, 40km/h constant speed)

120

150

150





www.innocenti-italy.com

Info@innocenti-italy.com